



Connection Heads & Blocks



Aluminum Screw-Cover Head

- NEMA 4X - IP68 Rating
- Temperature Rated to 600°F
- Secure, Screw-Top Closure
- Epoxy Coated

Catalog Number	Protection Tube Connection	Conduit Connection
SHW27	1/2" NPT	3/4" NPT
SHW34	3/4" NPT	3/4" NPT


Terminal Blocks for Above



Catalog Number	Number of Terminals
SWB	2



Catalog Number	Number of Terminals
SWDB	4



Catalog Number	Terminal Positions as Supplied
SWTB-2	①—③
SWTB-3	②—④—⑥
SWTB-4	①—③—④—⑥
SWTB-6	All



Hockey Puck Transmitter (DIN "B" Style)

See Page 136-138

Connection Heads & Blocks



Cast Iron Screw-Cover Head

- NEMA 4X
- Temperature Rated to 600°F
- Secure, Screw-Top Closure

Catalog Number	Protection Tube Connection	Conduit Connection
SHB27	1/2" NPT	3/4" NPT
SHB34	3/4" NPT	3/4" NPT
SHB42	1" NPT	3/4" NPT


Terminal Blocks for Above



Catalog Number	Number of Terminals
SWB	2



Catalog Number	Number of Terminals
SWDB	4



Catalog Number	Terminal Positions as Supplied
SWTB-2	①—③
SWTB-3	②—④—⑥
SWTB-4	①—③—④—⑥
SWTB-6	All



Hockey Puck Transmitter
(DIN "B" Style)
See Page 136-138



Connection Heads & Blocks



Stainless Steel Screw-Cover Head

- NEMA 4X
- Temperature Rated to 600°F
- Constructed of Corrosion-Resistant 316L SS
- Secure, Screw-Top Closure

Catalog Number	Protection Tube Connection	Conduit Connection
5HSS27	1/2" NPT	3/4" NPT
5HSS34	3/4" NPT	3/4" NPT

Terminal Blocks for Above



Catalog Number	Number of Terminals
SWB	2



Catalog Number	Number of Terminals
SWDB	4



Catalog Number	Terminal Positions as Supplied
SWTB-2	①—③
SWTB-3	②—④—⑥
SWTB-4	①—③—④—⑥
SWTB-6	All



Hockey Puck Transmitter (DIN "B" Style)

See Page 136-138



Connection Heads & Blocks



Aluminum Flip-Top Head

- IP 68 Rating
- Temperature Rated to 300°F
- Hinged Cover
- Latch or Screw Down Locking

Catalog Number	Protection Tube Connection	Conduit Connection
Cap with Latch		
SHFTL2727	1/2" NPT	1/2" NPT
SHFTL2734	1/2" NPT	3/4" NPT
SHFTL3434	3/4" NPT	3/4" NPT



Catalog Number	Protection Tube Connection	Conduit Connection
Cap with Screw Down		
SHFTS2727	1/2" NPT	1/2" NPT
SHFTS2734	1/2" NPT	3/4" NPT
SHFTS3434	3/4" NPT	3/4" NPT

Terminal Blocks for Above



Catalog Number	Terminal Positions as Supplied
SEB-2	④—⑥
SEB-3	②—④—⑥
SEB-4	①—③—④—⑥
SEB-6	All



Hockey Puck Transmitter
(DIN "B" Style)

See Page 136-138

Connection Heads & Blocks



Explosion Proof Head

- Cast Aluminum
- FM & CSA Approved
 - Class I - Group B, C, D
 - Class II - Groups E, F, G
- NEMA 4X Rating
- Epoxy Coating

Catalog Number	Protection Tube Connection	Conduit Connection
5HEX27	1/2" NPT	3/4" NPT

Terminal Blocks for Above



Catalog Number	Terminal Positions as Supplied
5EB-2	④—⑥
5EB-3	②—④—⑥
5EB-4	①—③—④—⑥
5EB-6	All



Hockey Puck Transmitter
(DIN "B" Style)

See Page 136-138

Connection Heads & Blocks



Black Nylon® Screw-Cover Head

- IP65 Rating
- Temperature Rated to 240°F
- Lightweight Screw-Top Closure
- Moisture Resistant
- Dust Resistant
- Corrosion Resistant

Catalog Number	Protection Tube Connection	Conduit Connection
5HN27	1/2" NPT	3/4" NPT

Terminal Blocks for Above



Catalog Number	Terminal Positions as Supplied
5EB-2	④—⑥
5EB-3	②—④—⑥
5EB-4	①—③—④—⑥
5EB-6	All



Hockey Puck Transmitter
(DIN "B" Style)

See Page 136-138



Connection Heads & Blocks



White Polypropylene Screw-Cover Head

- Molded from FDA Approved White Polypropylene
- Lightweight Screw Top Closure
- Moisture Resistant
- Dust Resistant
- Corrosion Resistant

Catalog Number	Protection Tube Connection	Conduit Connection
SHPS27	1/2" NPT	3/4" NPT

Terminal Blocks for Above



Catalog Number	Terminal Positions as Supplied
SEB-2	④—⑥
SEB-3	②—④—⑥
SEB-4	①—③—④—⑥
SEB-6	All



Hockey Puck Transmitter (DIN "B" Style)

See Page 136-138